

# Document shredders

Model overview





# First class in data protection

When discussing data protection, people typically refer to electronically processed data. What is often forgotten: the provisions of GDPR\* also apply to personalised data in paper form. Even your existing documents must correspond to the requirements of GDPR\*. Stocking up on data collection is prohibited.

In accordance with GDPR, you must demonstrate that you work compliantly and adhere to the data protection requirements. Protecting the required security level through the use of document shredders will protect you from paying significant fines, will protect your good reputation, and will ensure the trust of your customers.

Update your documents. Data that may no longer be retained as per GDPR – keyword data minimisation – can be safely and reliably destroyed using a professional document shredder. Also keep in mind documents whose retention period has expired.

\*GDPR – General Data Protection Regulation. Expansion of the previous data protection principles. All companies that process personalised data from EU residents, must meet the new regulations since 2018.

# Deskside shredders



**EBA 1126**



**EBA 1128**



**EBA 1125**

Model	1126 S	1126 C	1126 C	1128 S	1128 C	1128 C	1125 S	1125 C	1125 C
Feed opening, mm	220	220	220	220	220	220	220	220	220
Shredder type	strip cut	cross cut	cross cut	strip cut	cross cut	cross cut	strip cut	cross cut	cross cut
Shred width, mm	4	3 x 25	2 x 15	4	3 x 25	2 x 15	4	3 x 25	2 x 15
Performance in sheets, A4 paper 70 g/m <sup>2</sup>	11-13	6-7	4-5	11-13	6-7	4-5	11-13	6-7	4-5
Performance in sheets, A4 paper 80 g/m <sup>2</sup>	9-11	5-6	3-4	9-11	5-6	3-4	9-11	5-6	3-4
Security ISO / IEC 21964 (DIN 66399)	P-2	P-4	P-5	P-2	P-4	P-5	P-2	P-4	P-5
Shreds also	☒	-	-	☒	-	-	☒ ⊕	☒ ⊕	☒ ⊕
Paper clip proof solid steel cutting shafts	•	•	•	•	•	•	•	•	•
Lifetime guarantee on the solid steel cutting shafts	•	•	•	•	•	•	•	•	•
Automatic oiler		-			-			-	
Shred speed, m/sec.	0.05	0.06	0.06	0.05	0.06	0.06	0.05	0.06	0.06
Volume of cabinet in litres		-			20			20	
Shred bin volume in litres		20			20			20 (paper) / 3 (CDs/DVDs)	
Power connection, volts / Hz (single phase) <sup>1</sup>		230 / 50 / 1~			230 / 50 / 1~			230 / 50 / 1~	
Motor capacity, W		150			150			150	
Automatic start/stop via photo cell		•			•			•	
Control element		EASY-TOUCH			EASY-TOUCH			multifunction	
SSC – Smart Shred Control		-			-			-	
SPS Safety Protection System:		-			-			-	
- Patented safety flap in the feed opening		mechanical			mechanical			mechanical	
- Automatic reverse / automatic power cut-off		•			•			-	
- Automatic cut-off if shred bin is full		-			-			-	
- Electronic door protection		-			-			-	
- Double motor protection		•			•			•	
- ZERO ENERGY standby mode		•			•			-	
Awarded the "Blue Angel" for high energy efficiency		•			•			-	
Mobile on castors		-			-			-	
Dimensions, mm (H x W x D)		428 x 345 x 213			516 x 345 x 213			537 x 345 x 220	
Weight, kg	6.5	7.5	7.5	10.5	11.5	11.5	12.5	13.0	13.0

<sup>1</sup> other voltages available



**EBA 1624**



**EBA 1824**



**EBA 1824 JUMBO**

1624 S	1624 C	1624 C	1624 CC	1624 CCC	1824 S	1824 C	1824 C	1824 C	1824 C
240	240	240	240	240	240	240	240	240	240
strip cut	cross cut	cross cut	fine cut	fine cut	strip cut	cross cut	cross cut	cross cut	cross cut
4	4 x 40	2 x 15	0.8 x 12	0.8 x 5	4	4 x 40	2 x 15	4 x 40	2 x 15
19-21	13-15	10-12	4-6	4-5	22-24	16-18	11-13	16-18	11-13
16-18	11-13	8-10	3-5	3-4	19-21	13-15	9-11	13-15	9-11
P-2	P-4	P-5	P-6	P-7	P-2	P-4	P-5	P-4	P-5
			-	-					
•	•	•	-	-	•	•	•	•	•
•	•	•	-	-	•	•	•	•	•
-	optional	optional	optional	optional	-			-	
0.07	0.06	0.06	0.07	0.07	0.09	0.10	0.10	0.10	0.10
50					50			100	
35					35			75	
230 / 50 / 1~					230 / 50 / 1~			230 / 50 / 1~	
390					580			580	
•					•			•	
EASY-SWITCH					EASY-SWITCH			EASY-SWITCH	
•					•			•	
•					•			•	
electronic					electronic			electronic	
•					•			•	
•					•			•	
•					•			•	
•					•			•	
•					•			•	
•					•			•	
635 x 395 x 291					635 x 395 x 291			850 x 500 x 374	
21					22			26	



# Office shredders



**EBA 2127**



**EBA 2326**



**EBA 2331**

Model	2127 S	2127 C	2127 C	2326 S	2326 C	2326 C	2326 CC	2326 CCC	2331 S	2331 C	2331 C	2331 CCC
Feed opening, mm	260	260	260	260	260	260	260	260	310	310	310	310
Shredder type	strip cut	cross cut	cross cut	strip cut	cross cut	cross cut	fine cut	fine cut	strip cut	cross cut	cross cut	fine cut
Shred width, mm	4	4 x 40	2 x 15	4	4 x 40	2 x 15	0.8 x 12	0.8 x 5	4	4 x 40	2 x 15	0.8 x 5
Performance in sheets, A4 paper 70 g/m <sup>2</sup>	21-23	16-18	10-12	30-32	25-27	15-17	8-10	5-7	30-32	25-27	15-17	5-7
Performance in sheets, A4 paper 80 g/m <sup>2</sup>	18-20	13-15	8-10	26-28	21-23	13-15	6-8	4-6	26-28	21-23	13-15	4-6
Security ISO / IEC 21964 (DIN 66399)	P-2	P-4	P-5	P-2	P-4	P-5	P-6	P-7	P-2	P-4	P-5	P-7
Shreds also							-	-				-
Paper clip proof solid steel cutting shafts	•	•	•	•	•	•	-	-	•	•	•	-
Lifetime guarantee on solid steel cutting shafts	•	•	•	•	•	•	-	-	•	•	•	-
Automatic oiler	-			-	optional	optional	optional	optional	-	optional	optional	optional
Shred speed, m/sec.	0.09	0.10	0.10	0.08	0.10	0.10	0.09	0.09	0.08	0.10	0.10	0.09
Volume of cabinet in litres	100			125					140			
Shred bin volume in litres	75			100					120			
Power connection, volts / Hz (single phase) <sup>1</sup>	230 / 50 / 1~			230 / 50 / 1~					230 / 50 / 1~			
Motor capacity, W	580			640					640			
Automatic start/stop via photo cell	•			•					•			
ECC – Electronic Capacity Control	-			•					•			
Control element	EASY-SWITCH			EASY-SWITCH					EASY-SWITCH			
SPS Safety Protection System:	•			•					•			
– Patented safety flap in the feed opening	electronic			electronic					electronic			
– Automatic reverse / automatic power cut-off	•			•					•			
– Automatic cut-off if shred bin is full	•			•					•			
– Electronic door protection	•			•					•			
– Double motor protection	•			•					•			
– Zero energy standby mode	•			•					•			
Awarded the “Blue Angel” <sup>2</sup>	•			•					•			
High quality wooden cabinet, mobile on castors	•			•					•			
Dimensions, mm (H x W x D)	870 x 500 x 377			926 x 495 x 470					930 x 538 x 470			
Weight, kg	30	30.5	30.5	48					52			

<sup>1</sup> other voltages available

<sup>2</sup> for high energy efficiency



### EBA 5131

### EBA 2339

### EBA 3140

### EBA 5141

EBA 5131			EBA 2339			EBA 3140			EBA 5141					
5131 C	5131 C	5131 CCC	2339 S	2339 C	2339 C	3140 S	3140 C	3140 C	5141 S	5141 C	5141 C	5141 CC	5141 CCC	
310	310	310	400	400	400	400	400	400	405	405	405	405	405	
cross cut	cross cut	fine cut	strip cut	cross cut	cross cut	strip cut	cross cut	cross cut	strip cut	cross cut	cross cut	fine cut	fine cut	
4 x 40	2 x 15	0.8 x 5	6	4 x 40	2 x 15	6	4 x 40	2 x 15	6	4 x 40	2 x 15	0.8 x 12	0.8 x 5	
40-45	25-30	11-12	25-28	19-22	10-13	39-41	28-30	16-18	50-55	40-45	25-30	15-17	10-11	
34-39	21-26	9-10	21-24	16-19	8-11	33-35	23-25	13-15	42-47	34-39	21-26	13-15	8-9	
P-4	P-5	P-7	P-2	P-4	P-5	P-2	P-4	P-5	P-2	P-4	P-5	P-6	P-7	
		-										-	-	
•	•	-	•	•	•	•	•	•	•	•	•	-	-	
•	•	-	•	•	•	•	•	•	•	•	•	-	-	
standard			-			-		optional	optional	standard				
0.15	0.15	0.15	0.10	0.13	0.13	0.10	0.13	0.13	0.19	0.15	0.15	0.15	0.18	
180			210			210		210						
140			165			165		165						
230 / 50 / 1~			230 / 50 / 1~			230 / 50 / 1~		230 / 50 / 1~						
1600			640			1300		1600						
•			•			•		•						
•			•			•		•						
EASY-SWITCH			EASY-SWITCH			EASY-SWITCH		EASY-SWITCH						
•			•			•		•						
electronic			electronic			electronic		electronic						
•			•			•		•						
•			•			•		•						
•			•			•		•						
•			•			•		•						
•			•			•		•						
•			•			•		•						
1020 x 548 x 590			970 x 640 x 590			970 x 640 x 590		1010 x 640 x 590						
102			79	84	84	82	87	87	115					





















# High capacity shredders







**EBA 5300**

**EBA 5346**

Model	5300 C	5300 C*	5300 C	5346 C	5346 C*	5346 C	
Feed opening, mm	460	460	460	460	460	460	
Shredder type	cross cut	cross cut	cross cut	cross cut	cross cut	cross cut	
Shred width, mm	6 x 50	4 x 40	2 x 15	6 x 50	4 x 40	2 x 15	
Performance in sheets, A4 paper 70 g/m <sup>2</sup>	85-95	65-75	35-45	85-95	65-75	35-45	
Performance in sheets, A4 paper 80 g/m <sup>2</sup>	74-83	56-65	30-39	74-83	56-65	30-39	
Security level ISO / IEC 21964 (DIN 66399)	P-3	P-4	P-5	P-3	P-4	P-5	
Shreds also	  	  	  	  	  	  	
Shredding head takes soft metal objects	•	•	•	•	•	•	
Guarantee on the cutting shafts	2 years	2 years	2 years	2 years	2 years	2 years	
Shred speed, m/sec.	0.17			0.17			
Oil injection on the cutting shafts (standard equipment)	automatic			automatic			
Shred collection in	mobile shred bin			mobile shred bin			
Capacity for shreds, litres	230			230			
Power connection, volts / Hz (three phase) <sup>1</sup>	400 / 50 / 3P+N+PE			400 / 50 / 3P+N+PE			
Motor capacity, kW	2.2			2.2			
Automatic start/stop via photo cell	•			•			
Control element	EASY-SWITCH			EASY-SWITCH			
Illumination of the working area	•			•			
Automatic reverse / automatic power cut-off	• / •			• / •			
Automatic cut-off if shred bag is full	•			•			
Electronic door protection	•			•			
Thermal overload switch	•			•			
Automatic standby after 30 minutes	•			•			
Movable on castors	•			•			
Dimensions, mm (H x W x D)	1230 x 740 x 765			1700 x 740 x 765			
Weight, kg	244			253			
Accessories (optional):	Modular conveyor belt system	-			-		
	Second shred trolley	-			-		

<sup>1</sup> other voltages available

\*available from April 2020

-  credit cards
-  CDs/DVDs
-  diskettes
-  lever arch files





**EBA 6340**



**EBA 7050**

6340 S	6340 C	6340 C*	6340 C	7050-2 C	7050-3 C
410	410	410	410	500	500
strip cut	cross cut	cross cut	cross cut	cross cut	cross cut
6	6 x 50	4 x 40	2 x 15	8 x 40-80	6 x 50
100-120	85-100	65-75	43-48	600-700	300-400
87-105	74-87	56-65	37-42	500-600	250-350
P-2	P-3	P-4	P-5	P-2	P-3
•	•	•	•	•	•
2 years	2 years	2 years	2 years	2 years	2 years
0.26				0.21 / 0.12 (variable shred speed »2-MATIC«)	
automatic				manual	
suspension for disposable plastic bags with pull-out mechanism on wheels				shred trolley	
300				300	
400 / 50 / 3P+N+PE				400 / 50 / 3P+N+PE	
4.0	3.0	3.0	3.0	9.0 (2 x 4.5)	
-				-	
EASY-SWITCH				panel with push buttons	
•				-	
• / •				• / •	
•				•	
•				•	
•				•	
•				-	
•				•	
1440 x 1240/690 <sup>2</sup> x 1700				1714 x 1036 x 2170/3070 <sup>3</sup>	
357				1130	
-				•	
-				•	

<sup>2</sup> transportation width (without side tables)

<sup>3</sup> depth with conveyor belt system

# First class quality

EBA quality is world-famous. It originates from the edge of the Swabian Alb, from Balingen to be precise. Here, premium shredders are manufactured with an exceptionally high in-house production depth - renowned for their durability, operational safety and sophisticated functionality.

One of the most appealing features of EBA quality is its distinctive design. With classic form, clear lines and timeless elegance, EBA shredders fit seamlessly into every environment.

Top-quality materials, state-of-the-art manufacturing processes and stringent quality controls guarantee that in the future too the EBA brand will stand for its almost 100 year-old hallmark:

[Quality made in Germany.](#)



Exceptional quality, reliability and innovative design are what our global customers expect of our products. Benefit from our branded quality Made in Germany supported by a certified Quality Management System according to DIN EN ISO 9001:2015.




Robust and durable: the cutting heads of EBA shredders are equipped with special hardened, solid steel cutting shafts. We grant a lifetime guarantee of these high-quality cutting shafts under conditions of fair wear & tear (except fine cut and three phase models).



Sustainability has always played a major role in EBA's corporate philosophy. Only first-class, sustainably produced materials are built into our products. We have implemented a certified Environmental Management System according to DIN EN ISO 14001:2015 and a certified Energy Management System which proof that we care about the environment.



We offer professional assistance to handle any questions or technical problems. Moreover, we guarantee that even after a device "Made in Germany" has been discontinued, spare parts will remain available for at least 15 years (from model year 2012).



The environmentally-friendly energy saving function of our shredders, the ZERO ENERGY standby mode, ensures automatic and complete power cut-off after 15 minutes.



We set new standards in terms of quality and efficiency through innovative technologies such as the patented ECC – Electronic Capacity Control: this electronic feature indicates the used sheet capacity during shredding process to avoid paper jams.



Ease of operation: EASY-SWITCH is an intelligent control element indicating the operational status of the shredder with varying colour codes and back-lit symbols.



Easy operation is guaranteed with the EASY-TOUCH multifunction switch for stand-by / stop (off) / reverse and optical signals for the operational status of the shredder models EBA 1126 and EBA 1128.



SSC - Smart Shred Control: That's fun – shredding without paper jams! A smiley on the EASY-SWITCH element has a capacity control function: If it shines green, everything is ok.



EBA shredders are particularly safe and easy to operate. In this connection, the SPS (Safety Protection System) can certainly be seen as an important milestone. SPS features include, for example, a patented, electronically controlled safety flap in the feed opening; automatic reverse and power cut-off (avoids paper jams); automatic stop if the shred bin is full; electronic door protection; double motor protection against overheating.

[www.eba.de](http://www.eba.de)

Valid from 2020

**EBA**